

FIG.1A








FIG.2



PHARMACO-DISTRIBUTION OF HEXAPEPTIDE 60 min AFTER. I.V. INJECTION OF 100 pmoles LABELED PEPTIDE



PHARMACO-DISTRIBUTION OF UNDECAPEPTIDE 10 min AFTER. I.V. INJECTION OF 5 pmoles LABELED PEPTIDE

ORGANS 10 min after, 1.v. injed

						minim								TISSUE	SUF +	100 INTABLED DEPTINE	adit ia i uganen		800	
						munumunumunumun	mmunummunummunummunummunummunummunummu						•	z cpm/mg TISSUE	SIT / mu >	100 t	10 8 1001		009	x 1000 /g TISSUE)
					a		mannaman m											anni di mana	400	CROSS-LINKED RADIOCTIVITY (cpm x 1000 /g TISSUE)
	uninimus.	minimin	minimin	anninininininininininininininininininin	nonumumumumumumum						minimum.	annin an	minimining.	miniminimin		umumumumumumumumumumumumumumumumumumum	annannan a	anninananananananananananananananananan	200	CROSS-LINKED
MESENTERIC GANGLION PRIME	SKELETAL MUSCLE	CARDIAC MUSCLE 7	DION TIME	TRACHEA	URINARY BLADDER E	KIDNEY	PANCREAS ==	SPLEEN	LIVER	DUODENUM	7.5.				TESTIS	THYROID GLAND E	_		0	FIG.5




FIG.6(A)








FIG.8A-1



FIG.8A-2








FIG. 10




FIG. 11




FIG. 12





FIG. 13(A)






FIG. 14





FIG. 15






FIG. 17




FIG. 18(A)




FIG. 18(B)




FIG. 18(C)




FIG. 19




FIG.20




FIG. 21

